

---

*North America's Leader in Hazardous Material Information Management*  
*1905 Aston Avenue, Carlsbad, CA 92008*  
*Phone (800) 451-8346 Fax (760) 602-8888*

---

## MSDS PRODUCT INFORMATION

Date: 10/07/2005  
To: MSDS Requester  
From: 3E Company  
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☒ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☐ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: S.C. Johnson Wax  
Product Name: Glade Plug-Ins Scented Oil - Meadow Breeze (DISCONTINUED)

# MATERIAL SAFETY DATA SHEET

Page 1 of 4

MSDS # 126778001

## GLADE PLUG-INS SCENTED OIL - MEADOW BREEZE

Date Issued:30Sep1999

Supersedes:New

US MANUFACTURER:  
S.C. Johnson & Son, Inc  
Phone (800) 725-6737  
Racine, Wisconsin 53403-2236  
Emergency Phone: (888) 779-7920  
International Emergency Phone:  
(414) 886-1480

CANADIAN MANUFACTURER:  
S.C. Johnson and Son, Limited  
Phone: (800) 725-6737  
1 Webster Street  
Brantford, Ontario N3T 5R1  
Transportation Emergency:  
CANUTEC (collect) (613) 996-6666  
Poison Control (888) 779-7920

HAZARD RATING	HMIS	HAZARD	NFPA
4-Very High	2	Health	2
3-High	2	Flammability	2
2-Moderate	0	Reactivity	0
1-Slight		Special	
0-Insignificant			

DISTRIBUTED IN CANADA BY:  
S.C. Johnson and Son, Limited  
Phone: (800) 725-6737  
1 Webster Street  
Brantford, Ontario N3T 5R1

### SECTION 1 - PRODUCT IDENTIFICATION

PRODUCT NAME. . . . . GLADE PLUG-INS SCENTED OIL - MEADOW BREEZE  
REASON FOR CHANGE . . . . . New  
PRODUCT USE. . . . . Household Air care

UPC	SCJ CODE	QUANTITY	US SIZE	CANADIAN SIZE
62300 00992	992	12		1 EA.

### SECTION 2 - INGREDIENT INFORMATION

INGREDIENT	WEIGHT%	EXPOSURE LIMIT/TOXICITY
Mixture of Perfume Oils . . . . .	60-100	NOT ESTABLISHED

### SECTION 3 - HEALTH HAZARDS IDENTIFICATION (Also See Section 11)

ROUTE(S) OF ENTRY . . . . . Skin contact Eye contact  
EFFECTS OF ACUTE EXPOSURE:  
EYE . . . . . May cause: Moderate eye irritation.  
SKIN . . . . . Prolonged or repeated contact may cause: Drying/defatting of skin.  
INHALATION . . . . . Irritation to nose, throat and respiratory tract  
INGESTION . . . . . May cause irritation to mouth, throat and stomach  
MEDICAL CONDITIONS . . . . . Persons with pre-existing skin disorders may be more susceptible  
GENERALLY RECOGNIZED AS BEING AGGRAVATED BY EXPOSURE to irritating effects.

### SECTION 4 - FIRST AID MEASURES

EYE CONTACT . . . . . Flush immediately with plenty of water for at least 15 to 20 minutes. If irritation persists, get medical attention  
SKIN CONTACT . . . . . Wash contaminated area with water and soap. If irritation persists, get medical attention.  
INHALATION . . . . . Remove to fresh air  
INGESTION . . . . . Rinse mouth immediately. Immediately drink 1-2 glasses of water. Seek immediate medical attention.

### SECTION 5 - FIRE AND EXPLOSION INFORMATION

FLASH POINT . . . . . 150°F (66°C) (TCC)

# MATERIAL SAFETY DATA SHEET

Page 2 of 4

MSDS # 126778001

## GLADE PLUG-INS SCENTED OIL - MEADOW BREEZE

Date Issued:30Sep1999

Supersedes:New

### SECTION 5 - FIRE AND EXPLOSION INFORMATION (continued)

FLAMMABLE LIMITS .... Not available.  
AUTOIGNITION.... Not available.  
TEMPERATURE  
EXTINGUISHING MEDIA. . . Foam CO2. Dry chemical.  
SPECIAL FIREFIGHTING . . Fire fighters should wear self-contained breathing apparatus and  
PROCEDURES protective clothing.  
UNUSUAL FIRE AND. . . No special hazards known  
EXPLOSION HAZARDS

### SECTION 6 - PREVENTIVE RELEASE MEASURES

STEPS TO BE TAKEN IN . Eliminate all ignition sources. Dike large spills. Do not let  
CASE MATERIAL IS spilled or leaking material enter watercourse. Absorb with  
RELEASED OR SPILLED oil-dri or similar inert material. Sweep or scrape up and  
containerize.

### SECTION 7 - HANDLING AND STORAGE

PRECAUTIONARY . . . . . WARNING. Skin and eye irritant. Do not get in eyes, on skin or  
INFORMATION on clothing. If such contact occurs, flush immediately with  
plenty of water for at least 15 to 20 minutes. If irritation  
persists, seek medical aid. Keep out of reach of children  
OTHER HANDLING AND . Store in a cool, dry place with adequate ventilation. Observe  
STORAGE CONDITIONS good personal hygiene practices.

### SECTION 8 - SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION No special requirements under normal use conditions.  
VENTILATION . . . . . General room ventilation is normally adequate. Substantial  
amounts of mists/vapors can be controlled with local exhaust  
ventilation or respiratory protection.  
PROTECTIVE GLOVES... . If prolonged or repeated contact is possible: Any impervious  
material.  
EYE PROTECTION . . . Chemical splash-proof goggles.  
OTHER PROTECTIVE . . . If major exposure is possible to eyes/skin, wear/use appropriate  
MEASURES protective equipment

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

COLOR . . . . . Colorless to Pale Yellow  
PRODUCT STATE . . . Liquid.  
ODOR..... . . . . Fragrant.  
pH . . . . . Not available  
SOLUBILITY IN WATER... Negligible  
SPECIFIC GRAVITY.... . 0.91  
(H2O=1)  
VAPOR DENSITY (AIR=1). > 1  
EVAPORATION RATE (BUTYL Not available  
ACETATE=1)  
VAPOR PRESSURE (mm HG). 1.001 mm Hg  
BOILING POINT.. . . . Not available.  
FREEZING POINT... . . Not available.  
PERCENT VOLATILE BY . > 99  
VOLUME (%)  
VOLATILE ORGANIC .... Not applicable  
COMPOUND (VOC)

# MATERIAL SAFETY DATA SHEET

Page 3 of 4

MSDS # 126778001

## GLADE PLUG-INS SCENTED OIL - MEADOW BREEZE

Date Issued: 30 Sep 1999

Supersedes: New

### ----- SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES (continued) -----

THEORETICAL VOC. . . . Not applicable  
(LB/GAL)

### ----- SECTION 10 - STABILITY AND REACTIVITY -----

STABILITY . . . . Stable  
STABILITY - CONDITIONS. Not available  
TO AVOID  
INCOMPATIBILITY . . . Strong acids (eg. muriatic acid). Strong oxidizing materials  
(e.g. liquid chlorine)  
HAZARDOUS DECOMPOSITION PRODUCTS When exposed to fire. Produces normal products of combustion.  
HAZARDOUS. . . . Will not occur.  
POLYMERIZATION  
HAZARDOUS. . . . Not applicable.  
POLYMERIZATION -  
CONDITIONS TO AVOID

### ----- SECTION 11 - TOXICOLOGY INFORMATION (Also See Section 3) -----

EFFECTS OF CHRONIC . . . None known.  
EXPOSURE

### ----- SECTION 12 - ECOLOGICAL INFORMATION -----

ENVIRONMENTAL DATA . . . Not available.

### ----- SECTION 13 - DISPOSAL CONSIDERATIONS -----

WASTE DISPOSAL. . . . Observe all Federal, Provincial, State and Municipal  
INFORMATION regulations.

### ----- SECTION 14 - TRANSPORTATION INFORMATION -----

US DOT INFORMATION. . . Please refer to the Bill of Lading/receiving documents for  
up-to-date shipping information

### ----- SECTION 15 - REGULATORY INFORMATION -----

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic  
Substances Control Act (TSCA) Chemical Substance Inventory

This product is not subject to the reporting requirements under California's Proposition 65

### ----- SECTION 16 - OTHER INFORMATION -----

ADDITIONAL INFORMATION. Use as directed.  
EPA REGISTRATION # . . . Not applicable.

### ----- PREPARATION INFORMATION -----

PREPARED BY . . . . Manufacturer's Technical Support Department Refer to page 1  
(Manufacturer) for contact information.

## **MATERIAL SAFETY DATA SHEET**

**Page 4 of 4**

**MSDS # 126778001**

### **GLADE PLUG-INS SCENTED OIL - MEADOW BREEZE**

**Date Issued:30Sep1999**

**Supersedes:New**

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PRINT DATE: 08Oct1999